

RATED		FR 1910.1200(g) and GHS Rev 03.
ssue date 04/05/2019		Reviewed on 04/05/2019
1 Identification		
· Product Identifier		
 Relevant identified No further relevant i 	BOND RTV 4500 White I uses of the substance or mix nformation available. In: No further relevant informatio	<i>ture and uses advised against:</i> n available.
Manufacturer/Sup Silco Inc. 7635 St. Clair Aven Mentor, OH 44060 Phone: 440-975-888 Fax: 440-975-8887	ue	
2 Hazard(s) Ident	ification	
		g to OSHA HazCom Standard 29 CFR paragraph (d) of
 Hazard pictograms Signal word: Non-F Hazard statements Unknown acute to This value refers to 3 % of the mixture of 	:: Non-Regulated Material xicity: knowledge of known, establishe onsists of component(s) of unkn tem: NFPA/HMIS Definitions: 0-1	d toxicological or ecotoxicological values. own toxicity. Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
Health Health Fire = Reacti	1	
· HMIS-ratings (scal	e 0 - 4)	
HEALTHImage: 0FIRE1FIRE1FIRE1Physi	-	
· Hazard(s) not othe	rwise classified (HNOC): None	known
3 Composition/In	formation on Ingredients	
· Chemical characte		a non hozordovo odditiono
· Dangerous Compo	e of substances listed below with onents:	
CAS: 7429-90-5 RTECS: BD 033000	Aluminium	≤1.575%
	<i>(</i> 1	

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets. (Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 04/05/2019

Issue date 04/05/2019

Trade Name: SIL-BOND RTV 4500 White

4 First-Aid Measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor if symptoms persist.
- · After skin contact:
- Wash with soap and water.

If skin irritation occurs, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

- After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- Most important symptoms and effects, both acute and delayed:

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed:

No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5 Fire-Fighting Measures

· Extinguishing media

- Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: No further relevant information.

Special hazards arising from the substance or mixture:

Carbon oxides, Silicon oxides, Metal oxides

Exposure to combustion products may be a hazard to health.

- Advice for firefighters
- Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

· Additional information: Cool fire exposed containers with water.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow to enter sewers/surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/05/2019

Reviewed on 04/05/2019

Trade Name: SIL-BOND RTV 4500 White

· Protective Action Criteria for Chemicals

64-19-7	Acetic Acid			
108-24-7	-7 acetic anhydride			
70131-67-8	Hydroxy terminated polydimethylsiloxane			
7631-86-9	Silicon Dioxide	18 mg/m³		
63148-62-9	Polydimethylsiloxane	65 mg/m³		
13463-67-7	67-7 Titanium Dioxide			
PAC-2:				
64-19-7	Acetic Acid	35 ppm		
108-24-7	acetic anhydride	15 ppm		
70131-67-8	Hydroxy terminated polydimethylsiloxane	2,100 mg/m ³		
7631-86-9	Silicon Dioxide			
63148-62-9	Polydimethylsiloxane 7			
13463-67-7	Titanium Dioxide 3			
PAC-3:				
64-19-7	Acetic Acid	250 ppm		
108-24-7	acetic anhydride 10			
70131-67-8	Hydroxy terminated polydimethylsiloxane 13			
7631-86-9	Silicon Dioxide 4,5			
63148-62-9	Polydimethylsiloxane	4,300 mg/m ³		
13463-67-7	Titanium Dioxide	2,000 mg/m ³		

7 Handling and Storage

· Handling

· Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Keep in properly labelled containers.
- · Information about storage in one common storage facility: See Section 10 (Incompatible materials)
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters:

Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation of this SDS were used as basis.

• Exposure controls:

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Page 4/9

Reviewed on 04/05/2019

Issue date 04/05/2019

Trade Name: SIL-BOND RTV 4500 White

- · Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- · Breathing equipment:

Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

- Protection of hands: Not necessary under normal condidtions.
- · Material of gloves: Not applicable.
- · Penetration time of glove material: Not applicable.
- Eye protection:



Safety glasses with side shields

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

 Information on basic physical and cl General Information Appearance: 	nemical properties
Form:	Paste
Color: · Odor:	White Acetic acid like
· Odor threshold:	Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.
· Flash point:	>100 °C (>212 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	Not applicable
• Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure:	Not determined.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/05/2019

Reviewed on 04/05/2019

Trade Name: SIL-BOND RTV 4500 White

 Density: Relative density: Vapor density: Evaporation rate: 	1.007 Not determined. Not determined.
 Solubility in / Miscibility with: Water: 	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	er): Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: Organic solvents: VOC content: Other information: 	2.0 % 2.00 % No further relevant information available.

0 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:
- Thermal decomposition will result in the following: Carbon oxides, Silicon oxides, Metal oxides
- · Possibility of hazardous reactions:

Can react with strong oxidizing agents. When heated to temperatures above 150 °C (300 °F) in the presence of air, trace quantities of formaldehyde may be released. Adequate ventilation is required.

- Conditions to avoid: No further relevant information available.
- · Incompatible materials: Strong oxidizing agents.
- · Hazardous decomposition products: Formaldehyde. Hydrogen.

1 Toxicological Information

- · Information on toxicological effects:
- Acute toxicity:
- · LD/LC50 values that are relevant for classification: No data available.
- · Primary irritant effect:
- · On the skin: Mild irritant effect.
- · On the eye: Mild irritant effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories:

·IARC	(Inte	rnatic	onal	Agen	су	' fc	or Research on Cancer):
							•

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

• OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/05/2019

Reviewed on 04/05/2019

Trade Name: SIL-BOND RTV 4500 White

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

64-19-7 Acetic Acid

EC50 >300.82 mg/l (Water flea)

13463-67-7 Titanium Dioxide

EC50 >1,000 mg/l (Water flea)

- · Persistence and degradability: No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

· Uncleaned packaging

· Recommendation: Disposal must be made according to official regulations.

14 Transport Information

 UN-Number: DOT, ADR/ADN, ADN, IMDG, IATA UN proper shipping name: DOT, ADR/ADN, ADN, IMDG, IATA Transport hazard class(es): 	Non-Regulated Material Non-Regulated Material	
 DOT, ADR/ADN, ADN, IMDG, IATA Class: Packing group: DOT, ADR/ADN, IMDG, IATA Environmental hazards: Special precautions for user: 	Non-Regulated Material Non-Regulated Material Not applicable. Not applicable.	
 Transport in bulk according to Annex II (MARPOL73/78 and the IBC Code: UN "Model Regulation": 	of Not applicable. Non-Regulated Material	(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 04/05/2019

Issue date 04/05/2019

Trade Name: SIL-BOND RTV 4500 White

15 Regulatory Information

- Safety, health and environmental regulations/legislation specific for the substance or mixture: • SARA (Superfund Amendments and Reauthorization):
- Section 355 (extremely hazardous substances):
- None of the ingredients are listed.

7429-90-5 Aluminium

· Section 313 (Specific toxic chemical listings):

TSCA (Toxic Substances Control Act):						
7429-90-5	Aluminium	ACTIVE				
64-19-7	7 Acetic Acid A					
108-24-7	acetic anhydride	ACTIVE				
70131-67-8	Hydroxy terminated polydimethylsiloxane	ACTIVE				
7631-86-9	9 Silicon Dioxide AC					
63148-62-9	Polydimethylsiloxane	ACTIVE				
1332-37-2	Iron oxide	ACTIVE				
13463-67-7	Titanium Dioxide	ACTIVE				
Hazardous Air Pollutants						
None of the ingredients are listed.						

California Proposition 65:

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

Chemicals known to cause cancer: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed. · Chemicals known to cause developmental toxicity: None of the ingredients are listed. • New Jersey Right-to-Know List: 7429-90-5 Aluminium 64-19-7 Acetic Acid 108-24-7 acetic anhydride 13463-67-7 Titanium Dioxide · New Jersey Special Hazardous Substance List: 7429-90-5 Aluminium F3, R1 64-19-7 Acetic Acid CO. F2 108-24-7 acetic anhydride CO, F2, R1 · Pennsylvania Right-to-Know List: 7429-90-5 Aluminium

64-19-7 Acetic Acid



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

A4

A4

Issue date 04/05/2019

Reviewed on 04/05/2019

Trade Name: SIL-BOND RTV 4500 White

108-24-7	acetic anhydride				
7631-86-9	Silicon Dioxide				
13463-67-7 Titanium Dioxide					
· Pennsylvar	nia Special Hazardous Substance List:				
7429-90-5	Aluminium	E			
64-19-7	Acetic Acid	E			
108-24-7	acetic anhydride	E			

· Carcinogenic categories:

 EPA (Environmental 	Protection	Agency):
--	------------	----------

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH):

7429-90-5 Aluminium

13463-67-7 Titanium Dioxide

· NIOSH-Ca (National Institute for Occupational Safety and Health):

13463-67-7 Titanium Dioxide

· GHS label elements Non-Regulated Material

- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Informatior

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• Date of last revision/ revision number: 04/05/2019 / 15

Abbreviations and acronvms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Page 9/9

Reviewed on 04/05/2019

Issue date 04/05/2019

Trade Name: SIL-BOND RTV 4500 White

• * **Data compared to the previous version altered.** SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106