

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/06/2019

Reviewed on 08/06/2019

1 Identification

- · Product Identifier
- · Trade Name: SIL-FLEX 7525 White
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Silicone
- · Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier: Silco Inc. 7635 St. Clair Avenue Mentor, OH 44060 Phone: 440-975-8886 Fax: 440-975-8887

Emergency telephone number: 440-975-8886

2 Hazard(s) Identification

· Classification of the substance or mixture:



Skin Irrit. 2 H315 Causes skin irritation.Eye Irrit. 2A H319 Causes serious eye irritation.STOT SE 3 H335 May cause respiratory irritation.

- · Label elements:
- · Hazard pictograms:



· Signal word: Warning

· Hazard-determining components of labeling: Hydroxy terminated polydimethylsiloxane · Hazard statements: H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements: Avoid breathing dust/fume/gas/mist/vapors/spray. P261 P264 Wash thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. Wear protective gloves / eye protection / face protection. P280 P302+P352 If on skin: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a poison center/doctor if you feel unwell. P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/06/2019

P405

P501

Trade Name: SIL-FLEX 7525 White

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 78.5 % of the mixture consists of component(s) of unknown toxicity.
- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)

Health = 2 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE1Fire = 1REACTIVITY0Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of substances listed below with non-hazardous additions.

· Dangerous Components:		
70131-67-8	Hydroxy terminated polydimethylsiloxane	60-90%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
	3-(trimethoxysilyl)propylamine	2-12%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Flam. Liq. 4, H227	
13463-67-7	Titanium Dioxide	≤2.5%
	🚸 Carc. 2, H351	

• Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in the side position for transportation.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

· After swallowing: If swallowed and symptoms occur, consult a doctor.

· Information for doctor

• Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/06/2019

Reviewed on 08/06/2019

Trade Name: SIL-FLEX 7525 White

5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation. Dispose of the collected material according to regulations.

- Reference to other sections:
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

	Action Criteria for Chemicals	
· PAC-1:		
70131-67-8	Hydroxy terminated polydimethylsiloxane	190 mg/m³
13822-56-5	3-(trimethoxysilyl)propylamine	30 mg/m³
13463-67-7	Titanium Dioxide	30 mg/m ³
67-56-1	Methanol	530 ppm
· PAC-2:		
70131-67-8	Hydroxy terminated polydimethylsiloxane	2,100 mg/m³
13822-56-5	3-(trimethoxysilyl)propylamine	330 mg/m³
13463-67-7	Titanium Dioxide	330 mg/m³
67-56-1	Methanol	2,100 ppm
· PAC-3:		
70131-67-8	Hydroxy terminated polydimethylsiloxane	13,000 mg/m³
13822-56-5	3-(trimethoxysilyl)propylamine	2,000 mg/m³
13463-67-7	Titanium Dioxide	2,000 mg/m³
67-56-1	Methanol	7200* ppm

7 Handling and Storage

· Handling

- Precautions for safe handling:
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.



Reviewed on 08/06/2019



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/06/2019

Trade Name: SIL-FLEX 7525 White

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection:



Tightly sealed goggles

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:
 - Form: Color:

Self leveling White



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/06/2019

Trade Name: SIL-FLEX 7525 White

· Odor: Oxime · Odor threshold: Not determined. · pH-value: Not applicable. · Change in condition Melting point/Melting range: Not available Boiling point/Boiling range: Not available · Flash point: ≥205 °C (≥401 °F) · Flammability (solid, gaseous): Not applicable. · Ignition temperature: No data available · Decomposition temperature: Not available Product is not self-igniting. · Auto igniting: • Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: No data available Upper: No data available · Vapor pressure: Not determined. · Density: Relative density @ 20 °C (68 °F): 1.04 g/cm3 (8.6788 lbs/gal) Vapor density: >1 Evaporation rate: <1 (n-Butyl Acetate =1) · Solubility in / Miscibility with: Water: Insoluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: **Dynamic:** Not determined. Kinematic: Not determined. Solvent content: VOC content: 34 a/l Other information: No further relevant information available. Stability and Reactivity

· Reactivity: No further relevant information available.

· Chemical stability:

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known.

· Conditions to avoid: No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Page 6/9

Reviewed on 08/06/2019

Issue date 08/06/2019

Trade Name: SIL-FLEX 7525 White

/					
٢.	6	Toxicol	ndical	Intorn	nation
			Uyicai		lauon

- · Information on toxicological effects:
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

13822-56-5 3-(trimethoxysilyl)propylamine

Oral LD50 Oral 2,970 ml/kg (Rat)

Dermal LD50 11,300 mg/kg (Rat)

13463-67-7 Titanium Dioxide

Oral	LD50	>10,000 mg/kg (Rat)
Dermal	LD50	>10,000 mg/kg (Rabbit)
Inhalative	LC50/4 h	>6.82 mg/l (Rat)

- Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- On the eye: Irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

(a) Although IARC has classified titanium dioxide as possible carcinogenic to human (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products which titanium dioxide is bound to other materials, such as in cosmetics or in paints."

(b) OSHA does not regulate Titanium Dioxide as a carcinogen. However, under 29 CFR 1910.1200 the SDS must convey the fact that Titanium Dioxide is a potential carcinogen to rats.

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

13463-67-7 Titanium Dioxide

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

· Toxicity:

• Aquatic toxicity:

13463-67-7 Titanium Dioxide

EC50 >1,000 mg/l (Water flea)

· Persistence and degradability: No further relevant information available.

- Behavior in environmental systems:
- · *Bioaccumulative potential:* No further relevant information available.
- *Mobility in soil:* No further relevant information available.

2B



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 08/06/2019

Issue date 08/06/2019

Trade Name: SIL-FLEX 7525 White

- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:
- Observe all federal, state and local environmental regulations when disposing of this material.
- Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

14 Iransi	bort Infol	rmation
I T I I U I S I		mauvn

· UN-Number:	
• DOT, ADR/ADN, IMDG, IATA • UN proper shipping name:	Non-Regulated Material
• DOT, ADR/ADN, IMDG, IATA • Transport hazard class(es):	Non-Regulated Material
· DOT, ADR/ADN, ADN, IMDG, IATA	
· Class:	Non-Regulated Material
· Packing group:	
· DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material
 Environmental hazards: 	Not applicable.
 Special precautions for user: 	Not applicable.
 Transport in bulk according to Annex I 	ll of
MARPOL73/78 and the IBC Code:	Not applicable.
· UN "Model Regulation":	Non-Regulated Material

15 Regulatory Information

• Safety, health and environmental regulations/legislation specific for the substance or mixture: • SARA (Superfund Amendments and Reauthorization):

· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
67-56-1 Methanol	
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
67-56-1 Methanol	
California Proposition 65:	
· Chemicals known to cause cancer:	
13463-67-7 Titanium Dioxide	



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/06/2019

Trade Name: SIL-FLEX 7525 White

None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
New Jersey Right-to-Know List:	
3463-67-7 Titanium Dioxide	
67-56-1 Methanol	
New Jersey Special Hazardous Substance List:	
37-56-1 Methanol	TE, F
Pennsylvania Right-to-Know List:	
3463-67-7 Titanium Dioxide	
Pennsylvania Special Hazardous Substance List:	
None of the ingredients are listed.	
Carcinogenic categories:	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
TLV (Threshold Limit Value established by ACGIH):	
3463-67-7 Titanium Dioxide	A
NIOSH-Ca (National Institute for Occupational Safety and Health):	· · · · · · · · · · · · · · · · · · ·
3463-67-7 Titanium Dioxide	
GHS label elements The product is classified and labeled according to the Globally Harmonized Sys Hazard pictograms:	stem (GHS).



- · Signal word: Warning
- · Hazard-determining components of labeling:
- Hydroxy terminated polydimethylsiloxane
- Hazard statements:
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- Precautionary statements:
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- Use only outdoors or in a well-ventilated area. P271
- P280 Wear protective gloves / eye protection / face protection.
- P302+P352 If on skin: Wash with plenty of water.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Call a poison center/doctor if you feel unwell. P312



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/06/2019

Trade Name: SIL-FLEX 7525 White

P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
P501	regulations.

• National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

<u>6 Other Information</u>

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of last revision/ revision number: 08/06/2019 / 4

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flam. Liq. 4: Flammable liquids – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 • * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106