

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/15/2019

Reviewed on 08/15/2019

1 Identification

- · Product Identifier
- · Trade Name: SIL-FLEX RTV 7565 Black
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Silicone Sealant
- · Details of the Supplier of the Safety Data Sheet:
- *Manufacturer/Supplier:* Silco Inc. 7635 St. Clair Avenue Mentor, OH 44060 Phone: 440-975-8886 Fax: 440-975-8887
- · Emergency telephone number: 440-975-8886

2 Hazard(s) Identification

· Classification of the substance or mixture:

Health hazard

H351 Suspected of causing cancer.



Carc. 2

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements:

· Hazard pictograms:



- · Signal word: Warning
- · Hazard-determining components of labeling:
- Carbon black
- 2-butanone oxime
- Hazard statements:
- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.

• Precautionary statements:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 If on skin: Wash with plenty of water.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.
- P405 Store locked up.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/15/2019

Reviewed on 08/15/2019

Trade Name: SIL-FLEX RTV 7565 - Black

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.

0 % of the mixture consists of component(s) of unknown toxicity.

- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)

0 Health = 0 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTHImage: Constraint of the sector with the sector

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of substances listed below with non-hazardous additions.

· Dangerous Compon	ents:	
CAS: 1333-86-4	Carbon black	≤2.5%
RTECS: FF 5150100	Carc. 1A, H350; (1) Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
CAS: 96-29-7	2-butanone oxime	≤2.5%
RTECS: EL9275000	Carc. 2, H351; Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Sens. 1, H317; Flam. Liq. 4, H227	

• Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

· Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

If skin irritation occurs, consult a doctor.

Wash with soap and water.

• After eye contact:

Rinse opened eye for several minutes under running water.

If eye irritation occurs, consult a doctor.

• After swallowing: If swallowed and symptoms occur, consult a doctor.

· Information for doctor

• Most important symptoms and effects, both acute and delayed: No further relevant information available.

• Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-Fighting Measures

· Extinguishing media

• Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Reviewed on 08/15/2019



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/15/2019

Trade Name: SIL-FLEX RTV 7565 - Black

- For safety reasons unsuitable extinguishing agents: No further relevant information.
- Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- **Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

• Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

333-86-4	Carbon black	9 mg/m³
	2-butanone oxime	30 ppm
	Octamethylcyclotetrasiloxane	30 ppm
PAC-2:		·
333-86-4	Carbon black	99 mg/m ³
96-29-7	2-butanone oxime	56 ppm
556-67-2	Octamethylcyclotetrasiloxane	68 ppm
PAC-3:		
333-86-4	Carbon black	590 mg/m ³
96-29-7	2-butanone oxime	250 ppm
556-67-2	Octamethylcyclotetrasiloxane	130 ppm

· Handling

· Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep protective respiratory device available.

· Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s): No further relevant information available.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/15/2019

Trade Name: SIL-FLEX RTV 7565 - Black

8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see section 7.

·	Control	parameters:
---	---------	-------------

· Comp	onents with occupational exposure limits:
1333-8	6-4 Carbon black
PEL	Long-term value: 3.5 mg/m ³
REL	Long-term value: 3.5* mg/m³ *0.1 in presence of PAHs;See Pocket Guide Apps.A+C
TLV	Long-term value: 3* mg/m³ *inhalable fraction
96-29-	7 2-butanone oxime
WEEL	Long-term value: 10 ppm DSEN
· Additi	onal information: The lists that were valid during the creation of this SDS were used as basis.

- · Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• Eye protection:



Tightly sealed goggles

· Limitation and supervision of exposure into the environment: None

(Contd. on page 5)

Reviewed on 08/15/2019



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/15/2019

Reviewed on 08/15/2019

Trade Name: SIL-FLEX RTV 7565 - Black

9 Physical and Chemical Propert	ties
 Information on basic physical and ch General Information Appearance: 	emical properties
Form:	Paste
Color: · Odor:	Black Oxime
· Odor threshold:	No data available
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.
· Flash point:	96 °C (204.8 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	Not applicable
• Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure:	Negligible (25°C)
 Density: Relative density @ 25 °C (77 °F): Vapor density: Evaporation rate: 	1.04 >1 (Air=1) <1 (n-Butyl Acetate =1)
 Solubility in / Miscibility with: Water: 	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water)	: Not Applicable
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
 Solvent content: VOC content: Other information: 	40 g/l No further relevant information available.
10 Stability and Reactivity	

· Reactivity: No further relevant information available.

· Chemical stability:

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.

· Incompatible materials: No further relevant information available.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/15/2019

Trade Name: SIL-FLEX RTV 7565 - Black

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

1333-86-4 Carbon black

Oral LD50 10,000 mg/kg (Rat)

96-29-7 2-butanone oxime

Oral	LD50	3,700 mg/kg (Rat)
Dermal	LD50	200-2,000 mg/kg (Rat)
Inhalative	LC50/4 h	20 mg/l (Rat)

· Primary irritant effect:

- On the skin: May cause an allergic skin reaction.
- · On the eye: No irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Carcinogenic

• Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

Substance listed by IARC. In 1995 IARC concluded, "There is inadequate evidence in humans for the carcinogenicity of carbon black." Based on rat inhalation studies, IARC concluded that there is "sufficient evidence in experimental animals for the carcinogenicity of carbon black" resulting in their classifying carbon black as "possibly carcinogenic to humans (Group 2B).

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

- Group 3 Not classifiable as to its carcinogenicity to humans
- Group 4 Probably not carcinogenic to humans

1333-86-4 Carbon black

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

· Toxicity:

· Aquatic toxicity:

96-29-7 2-butanone oxime

EC50 11.8 mg/l (Green algae)

201 mg/l (Daphnia)

· Persistence and degradability: No further relevant information available.

· Behavior in environmental systems:

· *Bioaccumulative potential:* No further relevant information available.

• Mobility in soil: No further relevant information available.

2B

Reviewed on 08/15/2019



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 08/15/2019

Issue date 08/15/2019

Trade Name: SIL-FLEX RTV 7565 - Black

- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects: No further relevant information available.

3 Disposal Considerations

· Waste treatment methods

• Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

· Uncleaned packaging

· Recommendation: Disposal must be made according to official regulations.

4 Transport Information

· UN-Number:	
· DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material
• UN proper shipping name:	-
DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material
 Transport hazard class(es): 	-
· DOT, ADR/ADN, ADN, IMDG, IATA	
Class:	Non-Regulated Material
· Packing group:	·
· DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material
Environmental hazards:	Not applicable.
 Special precautions for user: 	Not applicable.
Transport in bulk according to Annex II of	of
MARPOL73/78 and the IBC Code:	Not applicable.
· UN "Model Regulation":	Non-Regulated Material

*15 Regulatory Information

• Safety, health and environmental regulations/legislation specific for the substance or mixture: • SARA (Superfund Amendments and Reauthorization):

· Section 35	55 (extremely hazardous substances):	
None of the	e ingredients are listed.	
· Section 31	13 (Specific toxic chemical listings):	
None of the	e ingredients are listed.	
· TSCA (To	xic Substances Control Act):	
1333-86-4	Carbon black	ACTIVE
96-29-7	2-butanone oxime	ACTIVE
556-67-2	Octamethylcyclotetrasiloxane	ACTIVE
· Hazardous	s Air Pollutants	
None of the	e ingredients are listed.	
		· • · · ·

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/15/2019

Trade Name: SIL-FLEX RTV 7565 - Black

Reviewed on 08/15/2019

Chemicals known to cause cancer:	
1333-86-4 Carbon black	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
New Jersey Right-to-Know List:	
1333-86-4 Carbon black	
New Jersey Special Hazardous Substance List:	
1333-86-4 Carbon black	(
Pennsylvania Right-to-Know List:	
A factor of the factor of the factor in the factor	
None of the ingredients are listed.	
None of the ingredients are listed. Pennsylvania Special Hazardous Substance List:	
Pennsylvania Special Hazardous Substance List:	
Pennsylvania Special Hazardous Substance List: None of the ingredients are listed.	
Pennsylvania Special Hazardous Substance List: None of the ingredients are listed. Carcinogenic categories:	
Pennsylvania Special Hazardous Substance List: None of the ingredients are listed. Carcinogenic categories: EPA (Environmental Protection Agency):	
Pennsylvania Special Hazardous Substance List: None of the ingredients are listed. Carcinogenic categories: EPA (Environmental Protection Agency): None of the ingredients are listed.	

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

• Hazard pictograms:



· Signal word: Warning

• *Hazard-determining components of labeling:* Carbon black

2-butanone oxime

· Hazard statements:

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

Precautionary statements:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/15/2019

Reviewed on 08/15/2019

Trade Name: SIL-FLEX RTV 7565 - Black

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.
- P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of last revision/ revision number: 08/15/2019 / 1

• Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

- ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 1A: Carcinogenicity – Category 1A

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106